

- 21 [6,314,663](#) **T** [Shoe cushioning system](#)
- 22 [6,312,519](#) **T** [Transferring device for optical discs being processed in a disc manufacturing assembly, disc manufacturing assembly incorporating the transferring device, and associated transferring method](#)
- 23 [6,302,839](#) **T** [Device and method for radiation therapy](#)
- 24 [6,182,967](#) **T** [Board game having dynamic game pieces](#)
- 25 [6,168,576](#) **T** [Device for dispensing vaginal medication](#)
- 26 [6,167,795](#) **T** [Container box and lifter features](#)
- 27 [6,161,870](#) **T** [Card with removable, reusable element](#)
- 28 [6,090,286](#) **T** [Separator centrifuge](#)
- 29 [6,089,611](#) **T** [Card with identifying feature and removable element](#)
- 30 [6,041,102](#) **T** [Data-imprinted dental radiograph device and process](#)
- 31 [6,003,569](#) **T** [Portable automated water purifier and method](#)
- 32 [5,997,042](#) **T** [Card with removable, reusable element](#)
- 33 [5,980,960](#) **T** [Sampler applicator having a stretchy layer](#)
- 34 [5,961,439](#) **T** [Device and method for radiation therapy](#)
- 35 [5,950,792](#) **T** [Apparatus for locking shopping carts together and method of utilization thereof](#)
- 36 [5,931,763](#) **T** [System for programming training on exercise apparatus or machines and related method](#)
- 37 [5,924,892](#) **T** [Device for electrically powering a plurality of user items provided with their own electrical feed and data transfer cables, to at least partially contain these cables during said feed](#)
- 38 [5,916,063](#) **T** [Portable memory-mediated system and method for providing customized training program for user of plural units of exercise apparatus](#)
- 39 [5,893,672](#) **T** [Viscid substance recovery and dispenser device](#)
- 40 [5,865,795](#) **T** [Safety mechanism for injection devices](#)
- 41 [5,839,432](#) **T** [Face-covering hood with inner liner and vent space](#)
- 42 [5,836,911](#) **T** [Injection device having positioning means](#)
- 43 [5,785,421](#) **T** [Mobile modular concrete batch plant](#)
- 44 [5,785,171](#) **T** [Prize delivery system](#)
- 45 [5,765,407](#) **T** [Self-contained portable device for removing stains](#)
- 46 [5,749,102](#) **T** [In-line sewage pump](#)
- 47 [5,713,591](#) **T** [Multiposition leg and foot, arm and hand supports for wheelchairs](#)
- 48 [5,697,360](#) **T** [Oven structure associable with electrical or gas elements to define an electric or gas oven](#)
- 49 [5,692,046](#) **T** [Foldable telephone handset having transformable hinge](#)
- 50 [5,690,136](#) **T** [Device for rapid connecting-up of pressurized containers in drinks dispenser plants](#)
-

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Prev. List	Next List	Bottom	View Cart	

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"removably associated": 171 patents.

Hits 51 through 100 out of 171

Prev. 50 Hits

Next 50 Hits

Jump To

Refine Search

aclm/"removably associated"

PAT. NO.	Title
51 5,686,004	T Pizza oven with conveyor
52 5,671,627	T Wire-drawing machine for dry-lubricated metal wire
53 5,669,541	T Release mechanism with safety device for compressed-air nail firing tools
54 5,643,290	T Penile cincture band loading apparatus and method
55 5,641,064	T Storage container having changeable identifying indicia
56 5,630,777	T Exercise block
57 5,561,975	T Fluid coupling with delay chamber and reservoir
58 5,561,589	T Expansion base and system for portable computers
59 5,537,926	T Printing-plate magazine for printing machine
60 5,533,506	T Nasal tube assembly
61 5,492,267	T Method and apparatus for laminated honeycomb package
62 5,485,520	T Automatic real-time highway toll collection from moving vehicles
63 5,483,900	T Table made with interconnected parts
64 5,465,984	T Braking device particularly for skates
65 5,460,287	T Blow-molded wide mouth plastic container and injection-molded lid
66 5,450,152	T Combination machine for developing and printing photographic material continuously and automatically
67 5,443,854	T Dough treating and dispensing method and apparatus
68 5,421,808	T Battery-operated male organ conditioning appliance

- 69 [5,393,540](#) **T** [Automatic beverage brewing method](#)
70 [5,384,655](#) **T** [Stereoscopic viewing device](#)
71 [5,381,930](#) **T** [Dispensing device for a measured volume of liquid](#)
72 [5,381,611](#) **T** [Footgear with replaceable flap elements](#)
73 [5,367,604](#) **T** [Humidifier apparatus and/or gases distribution chambers and/or temperature probe](#)
74 [5,331,919](#) **T** [Medication scheduling device](#)
75 [5,318,590](#) **T** [Infant mask](#)
76 [5,284,294](#) **T** [Disposable cooler](#)
77 [5,228,578](#) **T** [Adjustable book shelf](#)
78 [5,216,949](#) **T** [Conveyor for transporting lasagne and similar forms of pasta through a drier](#)
79 [5,215,248](#) **T** [Collapsible shipping carton](#)
80 [RE34,200](#) **T** [Coin fraud preventing unit and modular configurations for pay telephone stations](#)
81 [5,191,992](#) **T** [Tamperproof sealing arrangement for gas cylinders](#)
82 [5,185,757](#) **T** [Modularized replaceable vaporizer and extractor apparatus](#)
83 [5,144,284](#) **T** [Patient-monitoring bed covering device](#)
84 [5,123,183](#) **T** [Rear-entry ski boot](#)
85 [5,095,569](#) **T** [Cover sheet for face down pillow](#)
86 [5,093,592](#) **T** [Dynamoelectric machine with a terminal board mounted thereto](#)
87 [5,081,567](#) **T** [Roof beam flood lighting system and method](#)
88 [5,076,390](#) **T** [Multiple mode wheelchair construction](#)
89 [5,070,888](#) **T** [External uterine contraction monitoring device](#)
90 [5,068,985](#) **T** [Inner shoe particularly for ski boots](#)
91 [5,062,826](#) **T** [Device for locking a blood centrifugation cell on a chuck](#)
92 [5,056,130](#) **T** [Computerized tomography calibrator](#)
93 [5,033,997](#) **T** [Actuator without through shaft](#)
94 [5,025,950](#) **T** [Apparatus for storing and dispensing frozen comestibles](#)
95 [4,977,660](#) **T** [Tool for removing and installing an automotive universal joint](#)
96 [4,976,326](#) **T** [Weighing system](#)
97 [4,974,750](#) **T** [Detergent-additive dispenser](#)
98 [4,964,820](#) **T** [Trolling motor foot control mounting system](#)
99 [4,954,073](#) **T** [Apparatus for high frequency molding of liquid plastic material](#)
100 [4,952,309](#) **T** [Auger-type flour sifter](#)
-

Prev. List	Next List	Top	View Cart	
Home	Quick	Advanced	Pat Num	Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home

Quick

Advanced

Pat Num

Help

Prev. List

Next List

Bottom

[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"removably associated": 171 patents.

Hits 101 through 150 out of 171

Prev. 50 Hits

Final 21 Hits

Jump To

Refine Search

```
acIm/"removably associated"
```

PAT.
NO.

Title

- 101 4,936,490 **T** Bottle for generic medical products, in particular syrups
102 4,929,205 **T** Leg immobilizer-drag for training swimmers
103 4,918,724 **T** Coin fraud preventing unit and modular configurations for pay telephone stations
104 4,850,922 **T** Flight simulating toy
105 4,850,866 **T** Method and apparatus for measuring the length of the root canal of a tooth
106 4,840,065 **T** Dried load detector for dry-cleaning machines
107 4,827,956 **T** Remote grasping device
108 4,825,566 **T** Ski boot
109 4,825,471 **T** Garment useful for listening to audio signals
110 4,811,450 **T** Vacuum cleaner with improved auxiliary cleaning
111 4,799,362 **T** Modular home ice maker test apparatus
112 4,771,766 **T** Guide tube assembly of endoscope
113 4,768,177 **T** Method of and apparatus for alerting a patient to take medication
114 4,755,074 **T** Pencil sharpener
115 4,747,541 **T** Dispensing apparatus
116 4,735,389 **T** Portable camera and instrument support and positioning system
117 4,723,771 **T** Fixing and jamming tooling for round parts
118 4,716,698 **T** Wall system with split pole for lay-in wiring
119 4,708,831 **T** Methods of and/or apparatus for humidifying gases

- 120 [4,692,588](#) **T** [Steam generating apparatus for different household application outlets](#)
- 121 [4,655,763](#) **T** [Testing and dispensing apparatus for an enteral feeding system](#)
- 122 [4,651,475](#) **T** [Honing tool](#)
- 123 [4,624,468](#) **T** [Wheel carriage accessory for rendering waste containers moveable](#)
- 124 [4,621,503](#) **T** [Pressure sensing devices and methods, control devices and methods of operating same, smart pressure switches, air conditioning systems and devices for controlling same](#)
- 125 [4,611,138](#) **T** [Hermetic compressor unit](#)
- 126 [4,610,375](#) **T** [Refrigerator door with drink dispenser](#)
- 127 [4,593,455](#) **T** [Apparatus for making photovoltaic modules](#)
- 128 [4,578,845](#) **T** [Web edge decurling device](#)
- 129 [4,570,827](#) **T** [Liquid dispenser](#)
- 130 [4,565,311](#) **T** [Syringe disposal device](#)
- 131 [4,545,783](#) **T** [Rigid medical solution container](#)
- 132 [4,517,694](#) **T** [Pollen gathering device](#)
- 133 [4,509,787](#) **T** [Truck rack](#)
- 134 [4,495,673](#) **T** [Double-acting refrigerator door hinge with dual latch members](#)
- 135 [4,413,570](#) **T** [Table easily assembled from standardized parts and corner clamping assembly usable therewith](#)
- 136 [4,397,051](#) **T** [Apparatus for lifting a human being](#)
- 137 [4,394,004](#) **T** [Carpet stretching tool](#)
- 138 [4,389,862](#) **T** [High security locking assembly for lockrods type rear-end closures of cargo vehicles](#)
- 139 [4,379,556](#) **T** [Stripping gland for multicables with connector](#)
- 140 [4,360,953](#) **T** [Display and burial system](#)
- 141 [4,353,168](#) **T** [Instrument for measuring linear magnitudes](#)
- 142 [4,335,532](#) **T** [Excavating tooth](#)
- 143 [4,335,447](#) **T** [Power outage recovery method and apparatus for demand recorder with solid state memory](#)
- 144 [RE30,786](#) **T** [Disposable identification band blank](#)
- 145 [4,294,402](#) **T** [Control devices for heaters](#)
- 146 [4,280,275](#) **T** [Apparatus for laminated core manufacture](#)
- 147 [4,269,210](#) **T** [Arch supported tent](#)
- 148 [4,265,006](#) **T** [Display and burial system](#)
- 149 [4,248,234](#) **T** [Catheter with variable flexural modulus and method of using same](#)
- 150 [RE30,436](#) **T** [Rim construction and tool apparatus for safe tire inflation](#)
-

Prev. List	Next List	Top	View Cart	
Home	Quick	Advanced	Pat Num	Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Prev. List	Bottom	View Cart		

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"removably associated": 171 patents.

Hits 151 through 171 out of 171

Prev. 50 Hits

Jump To

Refine Search

aclm/"removably associated"

PAT. NO. Title

151	4,226,472	T Unattached base for rocking chairs
152	4,213,531	T Card with removable three dimensional figurine
153	4,198,373	T Low profile drive for agitator shaft of chemical reactor vessel
154	4,191,186	T Removable digit engageable means for separating a catheter and stylet
155	4,177,987	T Marble game with scoop and cups
156	4,167,274	T Scraper pull-hook assembly
157	4,165,757	T Arch supported tent
158	4,159,762	T Article transferring apparatus
159	4,156,984	T Marine life trap
160	4,143,459	T Cable connector crimping apparatus
161	4,124,392	T Cobalt complex amplification imaging system with blocked dye precursor
162	4,105,989	T UHF Substrate tuner potentiometer
163	4,097,186	T Multi-stage ring type centrifugal pumps with inducer means
164	4,086,757	T Gas turbine cooling system
165	4,056,897	T Planter design and construction
166	4,046,203	T Folding tool bar for agricultural implements
167	4,043,375	T Rim construction and tool apparatus for safe tire inflation
168	4,026,444	T Apparatus for folding and pressing garments
169	3,995,676	T Rim construction and tool apparatus for safe tire inflation
170	3,953,992	T Bicycle locking device
171	3,932,900	T Toilet water saver

	Prev. List	Top	View Cart	
Home	Quick	Advanced	Pat Num	Help